

Full Replacement Baja Grille w/LED Lighting Installation Instructions

PART NUMBER S112231
FITS Chevy Silverado 1500
07-13

Key To Components

- A. 1 ea. Grille
- B. 1 ea. Wire harness

Tools required

Ratchet
10mm Socket
Plastic clip removal tool or similar tool
Pliers

A



B



Please take a few minutes to read and thoroughly familiarize yourself with the installation procedures outlined in this manual. Following the steps as outlined will save you time and help reduce mistakes. Once the instructions are reviewed, if you feel that you are not capable of safely installing the parts seek the help of a qualified installation expert to help you complete the job. The manufacture is in no way responsible for any personal injury or vehicle damage that may occur during the installation.

ELECTRICAL INSTALLATION



This grille comes complete with LED lights which need to be connected to a power source. Failure to properly make these connections could result in damage to the LED lights and/or your vehicle and may result in personal injury. If you are not qualified to make the proper connections, we highly recommend that you contact an installation expert to complete the connections.


California Proposition 65 Warning!

This product includes a power cord which may contain lead a chemical known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.


REMOVING FACTORY GRILLE



Step 1.
Using a plastic clip removal tool or similar tool locate and remove 10 factory clips holding the radiator shroud. Remove plastic radiator shroud from vehicle. Set shroud and hardware aside for reinstallation.



Step 2.
Open vehicles hood. Using a 10mm socket locate and remove 4 bolts circled above. Set hardware aside for reinstallation.



Step 3.
The grille has six metal clips fig1 that clip into the core support two behind the Chevy logo and four along the bottom. Pull the grille forward; use a pair of pliers to release the clips fig 2.



Step 4.
Firmly grab and pull factory grille off of vehicle. Discard factory grille.

INSTALLING NEW GRILLE



Step 1.
Place grille (A) onto vehicle.



Step 2.
Install grille onto vehicle by reversing steps 1-2 in page 2.

Proceed to make electrical connections for the LED lights. If you are not qualified to make the proper connections, we highly recommend that you contact an installation expert to complete the connections.

This completes the installation.

Page 3