

## 2015-2017 Ford F150

### Wire Mesh Grille Insert Overlay w/Frame, Rivets, and LED Lighting - Black Stainless




#### Step 1\\

Using a panel removal tool, remove the (12) push clips holding the plastic radiator cover to the grille.



#### Step 2\\

Remove the (4) 8mm bolts holding the top of the grille to the radiator support.



#### Step 3\\

Unplug the (2) wire connections by the hood latch.



#### Step 4\\

Carefully pull back on the headlight trim, and remove the (2) 8mm bolts holding the grille in.

## 20015-2017 Ford F150

### Wire Mesh Grille Insert Overlay w/Frame, Rivets, and LED Lighting - Black Stainless



#### Step 5\\

With a panel removal tool, remove the (6) push clips holding the side cover in place. Then remove the grille completely from the vehicle.




#### Step 6\\

Remove the factory grille by removing the (4) push clips on the top, and (2) 8mm screws on the bottom.



#### Step 7\\

Mark and cut out your factory grille using a rotary tool as shown above.



#### Step 8\\

Next, lay the new cutout grille on the factory grille and mark your (12) holes using a marker. Using a 5/16 drill bit and drill, drill out your holes. Then install the (12) M4 screws and nuts securing the grille to the frame.



## 20015-2017 Ford F150

### Wire Mesh Grille Insert Overlay w/Frame, Rivets, and LED Lighting - Black Stainless



#### Step 9\\

Optional LED Wiring Diagram:  
Red- Switch ignition 12Volt  
Black- Chassis Ground



#### Step 10\\

Reinstall the grille by reversing steps 1-5.